

Ferrule T Talurit®

Product information

TALURIT®
TALURIT is a registered trademark owned by Talurit AB, Sweden

The turnback ferrule system is easy to use. It is quick, safe and has proved itself to be totally reliable. The ferrules are thoroughly specified and very well defined for many different wire rope applications.

The ferrules can be used for fibre core single layer wire ropes, steel core single layer wire ropes, rotation resistant wire ropes and spiral strand ropes.

Material: Aluminum

Marking: According to standard

Standard: EN 13411-3

except size range

Note: See the manufacturer's product data sheet in the tab "Documents" for guidance on dimension selection.



Part Code	Ferrule size mm	Length mm
10.01T025	2.5	12
10.01T03	3	14
10.01T035	3.5	16
10.01T04	4	18
10.01T045	4.5	20
10.01T05	5	23
10.01T06	6	27
10.01T065	6.5	29

10.01T07	7	32
10.01T08	8	36
10.01T09	9	40
10.01T10	10	45
10.01T11	11	50
10.01T12	12	54
10.01T13	13	59
10.01T14	14	63
10.01T16	16	72
10.01T18	18	81
10.01T20	20	90
10.01T22	22	99
10.01T24	24	108
10.01T26	26	117
10.01T28	28	126
10.01T30	30	135
10.01T32	32	144
10.01T34	34	153
10.01T36	36	162
10.01T38	38	171
10.01T40	40	180
10.01T44	44	198

10.01T48	48	216
10.01T52	52	234
10.01T56	56	252