Lifting Solutions Group
Axel Johnson International

Eye Nut Green Pin® EL

Product information



The Green Pin® Eye Nut EL is a grade 8 eye nut. These eye nuts have a flat on the eye, which enables the assembly with an omega link or a thimble. They have ISO metric threads as standard, however UNC threads are also available. The Green Pin® Eye Nut is available in a range with a working load limit from 0.2 t. up to 18 t.

Certification on request: 2.1, 2.2, 3.1, MTCa, MPIb

... *Read more*

Material: Alloy steel, quenched and tempered
Marking: CE-mark
Temperature range: -40°C up to +200°C
Finish: Painted white


Safety factor: 5:1
Grade: 8

© November 2026 - All Rights Reserved

CERTEX | Lifting Solutions Group
Axel Johnson International

Eye Nut Green Pin® EL

Blueprint



Technical data

Part code	Code	WLL ton	Thread mm	a mm	b mm	c mm	d mm	e mm	f mm	g mm	h mm	Weight kg
421100020330	GPEL6	0.2	M6	6	31	51	30	14	44	6	6	0.15
421100040330	GPEL8	0.4	M8	8	31	51	30	14	44	11	6	0.15
421100070330	GPEL10	0.7	M10	10	31	51	30	14	44	11	6	0.15
421100100330	GPEL12	1	M12	12	39	56	32	15	48	12	6	0.23
421100120330	GPEL14	1.2	M14	14	39	56	32	15	48	12	6	0.23
421100150330	GPEL16	1.5	M16	16	44	65	37	16	60	14	8	0.4
421100200330	GPEL18	2	M18	18	44	65	37	16	60	14	8	0.4
421100250330	GPEL20	2.5	M20	20	44	65	37	16	60	14	8	0.4
421100300330	GPEL22	3	M22	22	52	80	48	21	75	16	11	0.63
421100400330	GPEL24	4	M24	24	52	80	48	21	75	16	11	0.63
421100500330	GPEL27	5	M27	27	52	80	48	21	75	16	11	0.63
421100600330	GPEL30	6	M30	30	66	96	58	25	88	21	14	1.11
421100700330	GPEL33	7	M33	33	66	96	58	25	88	21	14	1.11
421100800330	GPEL36	8	M36	36	84	121	73	39	100	25	17	2.22
421100900330	GPEL39	9	M39	39	84	121	73	39	100	25	17	2.22
421101000330	GPEL42	10	M42	42	84	121	73	39	100	25	17	2.22
421101500330	GPEL45	15	M45	45	90	132	82	42	121	25	22	2.73
421101800330	GPEL48	18	M48	48	90	132	82	42	121	25	22	2.73

© November 2026 - All Rights Reserved