

Rigging Screw Stainless

Product information



Stainless steel rigging screw in design, fork/fork. Also available with other end fittings on request.

The larger size rigging screws from M20 and up are designed with a rounded fork head and are available with stainless steel with bronze threaded inserts for smooth adjustment. Delivered complete with locking nuts.

Material: Stainless steel AISI 316.

Marking: Thread and/or wire size and marking for left and right threaded side.

Temperature range: -50°C to +100°C and briefly up to +200°C

Finish: Polished.

Note: On request the rigging screws can be provided with thread stop

Warning: The turnbuckles are normally not intended for lifting. If they are to be used for lifting every individual turnbuckle shall be proof loaded, this is made on request. The turnbuckles are not allowed to be adjusted in length under load. When they are used for lifting It is strongly recommended to lubricate threads first, before tensioning.

Part Code	Breaking Load ton	Length mm	Pin size Ø mm	G thread	A mm	B mm	L1 mm	L2 mm	Weight kg/100pc	Packing Qty.
11.54120005	0.8	180	5	M5	7,5	12	180	126	5.1	10
11.54120006	1	200	5	M6	7,5	12	200	138	9	10
11.54120006X	1.2	202	6	M6	9,5	13	202	140	14	10
11.54120008	1.6	234	6	M8	9,5	13	234	158	14	10
11.54120008X	2.2	240	8	M8	11	15	240	166	15	10
11.54120010	3.2	272	8	M10	11	15	272	188	24	10
11.54120010X	3.5	280	9,5	M10	12	19	280	196	26	10
11.54120012	5.1	350	12	M12	14	25	350	244	52.5	5
11.54120014	6.9	387	12	M14	14	25	387	267	63.5	5
11.54120012X	5.1	370	14	M12	18	32	370	269	72.2	5
11.54120014X	6.9	405	14	M14	18	32	405	295	84.5	5
11.54120016	9.4	446	14	M16	18	32	446	313	100	5
11.54120016L	9.4	442	14	M16	22	30	442	309	100	5
11.54120016X	9.4	446	16	M16	18	33	446	313	100	5
11.54120020	14	550	19	M20	24	48	550	390	197	-
11.54120020L	14	546	19	M20	30	47	546	386	197	-
11.54120022	18.2	653	22	M22	30	57	653	472	448	-
11.54120024	21	769	25	M24	30	62	769	536	638	-
11.54120027	23	825	28	M27	32	68	825	590	881	-
11.54120030	28	907	32	M30	35	76	907	647	1,060	-
11.54120036	41	990	35	M36	40	86	990	715	1,657	-

Blueprint

