



Swivel Hook Crosby S-1326

Product information

Features:

- Individually Proof Tested at 2-1/2 times the 4:1 Working Load Limit with certification.
- Recessed trigger design is flush with the hook body, protecting the trigger from potential damage.
- Easy to operate with enlarged thumb access.
- Positive Lock Latch is Self-Locking when hook is loaded.
- Rated for both Wire Rope and use with Grade 80/100 Chain.

Material: Forged Alloy Steel - Quenched and Tempered.

Finish: Painted

Safety factor: 4:1

Grade: 10

Part Code	WLL ton	Chain mm	A mm	B mm	C mm	D mm	E mm	F mm	H mm	J mm	L mm	AA** mm	Weight kg
11.161004304	1.45	6	38,1	33,5	189	20,1	66	17	12,7	16	28,7	38,1	0.57
11.161004313	2.59	7-8	44,5	40,4	235	27,9	88,9	22.1	16	20,6	35,1	51	1.18
11.161004322	3.99	10	50,8	43,9	274	29,7	112	27.9	19,1	23,9	44,5	63,5	2.13
11.161004331	6.8	13	63,5	60,5	351	42,4	139	32	25,4	29,5	53,6	76,2	3.92
11.161004340	10.3	16	69,9	68.6	410	51,8	167	38.1	28,7	39,1	63,2	89	7.71
11.161004349	16	18-20	71,9	64	442	56,4	197	51.1	27,9	51,6	89,4	127	10.9
11.161004358	20	22	87,4	81	417	62,2	222	57.4	33	55,9	97,3	152	13.2

Blueprint



