



## Sakkeli Super

### Tuotetiedot

Bow shackles with safety bolt.

**Certification:** This product can be supplied with works certificate, 3.1 material certificate, manufacturer test certificate, EC Declaration of Conformity. All shackles starting from 150 tons are supplied with a Lloyd's Register of Shipping Certificate on proof load.

**Standard:** Meets performance requirements of US Fed. Spec. RR-C-271 Type IVA Class 3, Grade B.

**Materiaali:** Lämpökäsitelty teräs luokka 8. Lämpökäsittely kielletty.

**Merkintä:** CE-merkintä, WLL.

**Lämpötila-alue:** -20°C - +200°C.

**Pintakäsittely:** Kuumasinkitty (175 t maalattu).

**Varmuuskerroin:** 5:1

**Luokka:** 8

Tuotekoodi	Työkuorma t	A mm	B mm	C mm	D mm	e mm	f mm	g mm	h mm	i mm	j mm	k mm	Paino kg
11.31SUGHMB13	3,3	13,5	16	34	13	22	51	32	89	82	58	13	0,44
11.31SUGHMB16	5	16	19	40	16	27	64	43	1 110	98	75	17	0,79
11.31SUGHMB19	7	19	22	46	19	31	76	51	129	114	89	19	1,26
11.31SUGHMB22	9,5	22	25	52	22	36	83	58	144	130	102	22	1,88
11.31SUGHMB25	12,5	25	28	59	25	43	96	68	164	150	118	25	2,78
11.31SUGHMB28	15	28	32	66	28	47	108	75	185	166	131	27	3,87
11.31SUGHMB32	18	32	35	72	32	51	115	83	201	178	147	30	5,26
11.31SUGHMB35	21	35	38	80	35	57	133	92	227	197	162	33	6,94
11.31SUGHMB38	30	38	42	88	38	60	146	99	249	202	175	19	8,79
11.31SUGHMB45	40	45	50	103	45	74	178	126	300	249	216	23	15
11.31SUGHMB57	55	57	57	117	57	83	197	138	341	286	252	26	22
11.31SUGHMB70	85	70	70	143	70	105	260	180	437	344	320	32	42
11.31SUGHMB83	120	83	83	162	83	127	329	190	535	403	356	40	70
11.31SUGHMB150	150	95	95	208	91	147	400	238	647	511	428	50	112
11.31SUGHMB175	175	105	108	238	102	169	410	275	688	561	485	60	160

# Mittakuva

