



Koussi DIN 3091

Tuotetiedot

Rakenne: Valettu, tyyppi DIN 3091.

Materiaali: GTW40.

Merkintä: Standardin mukaan

Pintakäsittely: Käsittelemätön.

Standardi: DIN 3091

Tuotekoodi	Köyden halkaisija mm	A Ei työstetty	A Min työstetty	A Max työstetty	B mm	C mm	L mm	Paino kg/100 kpl
10.27309109	8	14	17	20	40	15	66	18
10.27309111	10	18	21	25	50	17,5	82	32
10.27309113	12	21	24	30	60	20	98	52
10.27309116	14	25	29	35	70	23,5	114	80
10.27309118	16	28	32	40	80	26	130	90
10.27309120	18	31	35	45	90	28,5	145	121
10.27309122	20	35	40	50	100	31	161	161
10.27309124	22	38	43	55	110	33,5	177	211
10.27309126	24	41	46	60	120	36	193	271
10.27309129	26	44	49	65	130	39,5	209	355
10.27309131	28	47	52	70	140	42	224	420
10.27309135	32	53	58	80	160	47	256	630
10.27309140	36	59	65	90	180	53	288	884
10.27309144	40	65	71	100	200	58	320	1 100
10.27309148	44	70	76	110	220	63	352	1 500
10.27309153	48	76	82	120	240	69	384	2 000

Mittakuva

